

C 64826

(Pages : 2 + 2 = 4)

Name.....

Reg. No.....

**THIRD PROFESSIONAL M.B.B.S. (PART II) DEGREE EXAMINATION
AUGUST 2014**

Paper II—OBSTETRICS AND GYNAECOLOGY

(2006 and earlier scheme)

Time : Two Hours

Maximum : 40 Marks

Answer all the questions.

Draw diagrams wherever necessary.

*Answer Sections A Multiple choice and B in **separate** answer-books.*

MCQs should be answered first in the response sheet provided.

Section A

I. Multiple Choice Questions.

Single response sheet type 8 (Separate sheet attached) :

(8 × ½ = 4 marks)

II. Draw and label :

- 1 Degrees of prolapse uterus.
- 2 Lymphatic drainage of cervix.

(2 × 1 = 2 marks)

III. Write short answers on :

- 1 Invasive mole.
- 2 Chocolate cyst of ovary.

(2 × 2 = 4 marks)

IV. Write answers :

- 1 Management of misplaced IUCD.
- 2 Cervical intraepithelial neoplasia.
- 3 Management of dysfunctional uterine bleeding.

(3 × 4 = 12 marks)

Turn over

Section B

V. A 20 year old unmarried girl with acute onset of severe abdominal pain. On examination there is a cystic mass 10x15 cm in right iliac fossa.

- 1 What are the probable diagnoses ?
- 2 How will you confirm the diagnosis ?
- 3 How will you manage this case ?

(3 + 3 + 4 = 10 marks)

VI. Write short notes on :

- 1 Premenstrual syndrome.
- 2 Bartholin's cyst.

(2 × 2 = 4 marks)

VII. Write short answers on :

- 1 Causes of postmenopausal bleeding.
- 2 Cryptomenorrhoea.

(2 × 2 = 4 marks)

I. MULTIPLE CHOICE QUESTIONS
Paper II—OBSTETRICS AND GYNAECOLOGY
(2006 and earlier scheme)

Note.—(1) *Do not write anything on the question paper.*

(2) *Write your register number in the answer-sheet provided.*

(3) *Select **one** most **appropriate response** and encircle the corresponding alphabet against each question number in the answer-sheet provided.*

1. The most useful diagnostic aid for carcinoma in situ of cervix is :

(A) Papsmear.

(B) Colposcopy directed biopsy.

(C) Punch biopsy.

(D) All of the above.

2. Post coital pill contains :

(A) High dose androgen.

(B) High dose progesterone.

(C) Depot progesterone.

(D) Low dose estrogen.

3. Bromocriptine is used for all **except** :

(A) Parkinsonism.

(B) Suppression of lactation.

(C) Shock.

(D) Prolactinoma.

4. Endometriosis is associated with the following conditions **except**

(A) Fibroid uterus.

(B) Chocolate cyst of ovary.

(C) Endometrial hyperplasia.

(D) Carcinoma cervix.

5. Secondary infertility is due to :

(A) Vaginal septum.

(B) Turners syndrome.

(C) Uterine hypoplasia.

(D) Tubal block.

6. Manchester operation is done for :

(A) Uterine prolapse.

(B) Stress incontinence.

(C) Vault prolapse.

(D) Repair of VVF.

7. Trichomonas vaginitis is diagnosed by :

- (A) Thin frothy discharge. (B) Blood stained discharge.
(C) Thick curdy white discharge. (D) Thick purulent discharge.

8. The diagnosis of dermoid cyst of ovary is made by :

- (A) Clinical examination. (B) Aspiration.
(C) Examination under anaesthesia. (D) Radiography.

(8 × ½ = 4 marks)